2.13 **ACCIDENTS WITH INJURIES**

Table 2.13.1 Accident victims with injuries resulting in limitation of activities and/or a medical consultation according to sex and age, total population, Quebec, 1992-1993 and 1998

	1992-1993	1998	Pop
	Rate per 1000		'000
Men			
0-4 years	51.1*	40.0*	9
5-14 years	94.6	69.8	32
15-24 years	132.4	105.1	52
25-44 years	122.4	93.6	110
45-64 years	69.0	67.7	57
65-74 years	37.1*	50.4*	12
75 years +	35.3**	38.0**	4
Total	96.1	77.9	277
Standardized rate ¹	95.9	78.5	
Women			
0-4 years	41.1*	19.5**	4
5-14 years	57.7	52.4	24
15-24 years	89.8	47.1	22
25-44 years	62.2	56.1	64
45-64 years	66.6	56.3	49
65-74 years	72.7	34.1*	10
75 years +	63.3*	69.0*	13
Total	65.6	51.4	186
Standardized rate ¹	65.7	51.2	•••
Both sexes			
0-4 years	46.2	30.3*	13
5-14 years	76.7	61.1	56
15-24 years	111.5	76.8	75
25-44 years	92.4	75.1	174
45-64 years	67.8	62.0	106
65-74 years	57.4	41.7	22
75 years +	52.1*	58.2*	17
Total	80.7	64.5	463
Standardized rate ¹	80.5	64.7	

¹ Rate standardized for age by the direct method, using the Quebec population as of July 1, 1992 as the standard population.
* Interpret with caution.

Source: Santé Québec, Enquête sociale et de santé 1992-1993.. Institut de la statistique du Québec, Enquête social et de santé 1998.

^{**} Imprecise estimate. Indication only.

Table 2.13.2

Accidents with injuries according to location, total of accidents with injuries¹, Quebec, 1998

Location	%
Sports and recreation	19.9
Public place	10.6
Home (outside)	17.5
Home (inside)	17.8
School	4.3
Work	21.1
Road	7.3
Other	1.6

¹ These are accidents with injuries occurring in a 12-month period and resulting in a restriction of activities or a medical consultation. The distribution is based on the total number of locations declared, excluding the second accident (and others) involving a person in the same location (10.3% of accidents).

Source: Institut de la statistique du Québec, Enquête social et de santé 1998.

Table 2.13.3

Distribution of locations of accidents according to the victim's age group, total of accidents with injuries¹, Quebec, 1998

	Sports and recreation	Public place	Home	School	Work	Road
	%					
0-4 years	0.8	5.9	91.0			2.3
5-14 years	23.6	12.3	34.8	23.7		2.9
15-24 years	32.5	9.2	18.0	7.0	23.7	8.7
25-44 years	22.5	6.7	28.2	0.8	31.7	8.4
45-64 years	12.0	13.6	42.0		23.2	7.7
65-74 years	8.6	23.5	56.9		0.6	9.3
75 years +	1.0	20.2	75.5			3.2

¹ These are accidents with injuries occurring in a 12-month period and resulting in a restriction of activities or a medical consultation. The distribution is based on the total number of locations declared, excluding the second accident (and others) involving a person in the same location (10.3% of accidents).

Source: Institut de la statistique du Québec, Enquête social et de santé 1998.

Table 2.13.4

Stated circumstances concerning injuries, total of accidents with injuries¹, Quebec, 1998

	Estimated number of accidents		
	%	'000	
Fall	33.7	166	
Recreational and sports activities	21.4	105	
Collision	9.5	47	
Cutting object	7.7	38	
Motor vehicle	6.9	34	
Effort or contortion	6.0	29	
False movement	4.1	20	
Bicycle	3.1	15	
Burn	2.2	11	
Repetitive movements	1.2	6	
Poisoning	1.1	5	
Aggression	1.1	5	
Others	1.1	5	
Animal	0.5	2	
Object in the eye	0.4	2	
Total	100.0	491	

¹ These are accidents with injuries occurring in a 12-month period and resulting in a restriction of activities or a medical consultation. The distribution is based on the total number of locations declared, excluding the second accident (and others) involving a person in the same location (10.3% of accidents).

Source: Institut de la statistique du Québec, Enquête social et de santé 1998.

Table 2.13.5

Accidents with injuries according to location by mother tongue, Quebec, 1998

	N=	18211	1029	1045	445
	_	French	English	Other	n/a
Sports and recreation		1.38%	1.17%	0.96%	0.00%
Public place		0.69%	0.78%	0.86%	1.35%
Home (outside)		1.27%	1.17%	0.48%	0.00%
Home (inside)		1.29%	1.36%	0.77%	0.00%
School		0.15%	0.00%	0.00%	0.00%
Work		2.19%	1.26%	1.53%	2.25%
Road		0.60%	0.00%	0.67%	0.00%
Other		0.12%	0.00%	0.00%	0.00%

Source: Institut de la statistique du Québec, Enquête social et de santé 1998.